

## CHAPTER 60 NOMENCLATURE

### Topic 61 - Abbreviations

#### Index 61.1 - Official Names

AASHTO	American Association of State Highway and Transportation Officials
DOT	U.S. Department of Transportation
FHWA	Federal Highway Administration
Caltrans or Department	California Department of Transportation
CFR	Code of Federal Regulations
CTC or Commission	California Transportation Commission
OPPD	Office of Project Planning and Design
District	Department of Transportation Districts
FAA	Federal Aviation Administration
PUC	Public Utilities Commission
PS&E	Plans, Specifications, and Estimate
STIP	State Transportation Improvement Program
DOS	Division of Structures
METS	Office of Materials Engineering and Testing Services
OSF	Office of Structural Foundations
ESC	Engineering Service Center

### Topic 62 - Definitions

#### 62.1 Geometric Cross Section

##### (1) Lane.

- (a) Auxiliary Lane--The portion of the roadway for weaving, truck climbing,

speed change, or for other purposes supplementary to through traffic movement.

- (b) Lane Numbering--On a multilane roadway, the traffic lanes available for through traffic traveling in the same direction are numbered from left to right when facing in the direction of traffic flow.
- (c) Multiple Lanes--Freeways and conventional highways are sometimes defined by the number of through traffic lanes in both directions. Thus an 8-lane freeway has 4 through traffic lanes in each direction. Likewise, a 4-lane conventional highway has 2 through traffic lanes in each direction.
- (d) Median Lane--A speed change lane within the median to accommodate left turning vehicles.
- (e) Separate Turning Lane--An auxiliary lane for traffic in one direction which has been physically separated from the intersection area by a traffic island.
- (f) Speed Change Lane--An auxiliary lane, including tapered areas, primarily for the acceleration or deceleration of vehicles entering or leaving the through traffic lanes.
- (g) Traffic Lane--The portion of the traveled way for the movement of a single line of vehicles.
- (2) *Median*. The portion of a divided highway separating the traveled ways for traffic in opposite directions.
- (3) *Outer Separation*. The portion of an arterial highway between the traveled ways of a roadway for through traffic and a frontage street or road.
- (4) *Roadbed*. That portion of the roadway extending from curb line to curb line or shoulder line to shoulder line. Divided highways are considered to have two roadbeds.
- (5) *Roadside*. A general term denoting the area adjoining the outer edge of the roadbed. Extensive areas between the roadbeds of a divided highway may also be considered roadside.

- (6) *Roadway*. That portion of the highway included between the outside lines of the sidewalks, or curbs and gutters, or side ditches including also the appertaining structures, and all slopes, ditches, channels, waterways, and other features necessary for proper drainage and protection.
- (7) *Shoulder*. The portion of the roadway contiguous with the traveled way for accommodations of stopped vehicles, for emergency use, and for lateral support of base and surface courses.
- (8) *Traveled Way*. The portion of the roadway for the movement of vehicles, exclusive of shoulders.

## 62.2 Highway Structures

- (1) *Illustration of Types of Structures*. Figure 62.2 illustrates the names given to common types of structures used in highway construction. This nomenclature must be used in all phases of planning.
- (2) *Bridges*. Structures that span more than 6.1 m over a waterway, measured under the copings along the centerline of the road and multiple span structures where the individual spans are in excess of 3 m, measured from center to center of supports along the centerline of the road.
- (3) *Culverts*. See Index 806.1.

## 62.3 Highway Types


- (1) *Freeway*. A freeway, as defined by statute, is a highway in respect to which the owners of abutting lands have no right or easement of access to or from their abutting lands or in respect to which such owners have only limited or restricted right or easement of access. This statutory definition also includes expressways.

The engineering definitions for use in this manual are:


- (a) *Freeway*--A divided arterial highway with full control of access and with grade separations at intersections.
- (b) *Expressway*--An arterial highway with at least partial control of access, which may or may not be divided or have grade separations at intersections.

- (2) *Controlled Access Highway*. In situations where it has been determined advisable by the Director or the CTC, a facility may be designated a "controlled access highway" in lieu of the designation "freeway". All statutory provisions pertaining to freeways and expressways apply to controlled access highways.
- (3) *Conventional Highway*. A highway without control of access which may or may not be divided. Grade separations at intersections or access control may be used when justified at spot locations.
- (4) *Highway*.
  - (a) *Arterial Highway*--A general term denoting a highway primarily for through traffic usually on a continuous route.
  - (b) *Bypass*--An arterial highway that permits traffic to avoid part or all of an urban area.
  - (c) *Divided Highway*--A highway with separated roadbeds for traffic in opposing directions.
  - (d) *Major Street or Major Highway*--An arterial highway with intersections at grade and direct access to abutting property and on which geometric design and traffic control measures are used to expedite the safe movement of through traffic.
  - (e) *Radial Highway*--An arterial highway leading to or from an urban center.
  - (f) *Through Street or Through Highway*--Every highway or portion thereof at the entrance to which vehicular traffic from intersecting highways is regulated by stop signs or traffic control signals or is controlled when entering on a separate right-turn roadway by a yield-right-of-way sign.
- (5) *Parkway*. An arterial highway for non-commercial traffic, with full or partial control of access, and usually located within a park or a ribbon of park-like development.


**Figure 62.2**  
**Types of Structures**




UNDERPASS



OVERHEAD



BRIDGE & OVERHEAD




VIADUCT




BRIDGE



OVERCROSSING



UNDERCROSSING



SEPARATION

- (6) *Scenic Highway.* An officially designated portion of the State Highway System traversing areas of outstanding scenic beauty which together with the adjacent scenic corridors requires special scenic conservation treatment.
- (7) *Street or Road.*
  - (a) Cul-de-Sac Street--A local street open at one end only, with special provisions for turning around.
  - (b) Dead End Street--A local street open at one end only, without special provisions for turning around.
  - (c) Frontage Street or Road--A local street or road auxiliary to and located on the side of an arterial highway for service to abutting property and adjacent areas and for control of access.
  - (d) Local Street or Local Road--A street or road primarily for access to residence, business, or other abutting property.
  - (e) Toll Road, Bridge or Tunnel--A highway, bridge, or tunnel open to traffic only upon payment of a direct toll or fee.

#### 62.4 Interchanges and Intersections at Grade

- (1) *Channelization.* The separation or regulation of conflicting traffic movements into definite paths of travel by the use of pavement markings, raised islands, or other suitable means to facilitate the safe and orderly movement of both vehicles and pedestrians.
- (2) *Geometric Design.* Geometric design is the arrangement of the visible elements of a road, such as alignment, grades, sight distances, widths, slopes, etc.
- (3) *Gore.* The area immediately beyond the divergence of two roadbeds bounded by the edges of those roadbeds.
- (4) *Grade Separation.* A crossing of two highways or a highway and a railroad at different levels.
- (5) *Interchange.* A system of interconnecting roadways in conjunction with one or more grade separations providing for the inter-

change of traffic between two or more roadways on different levels.

#### (6) *Interchange Elements.*

- (a) Branch Connection--A multilane connection between two freeways.
- (b) Freeway-to-freeway Connection--A single or multilane connection between freeways.
- (c) Ramp--A connecting roadway between a freeway or expressway and another highway, road, or roadside area.
- (7) *Intersection.* The general area where two or more roadways join or cross, within which are included roadside facilities for traffic movements in that area.
- (8) *Island.* A defined area between traffic lanes for control of vehicle movements or for pedestrian refuge. Within an intersection a median or an outer separation is considered an island.
- (9) *Minimum Turning Radius.* The radius of the path of the outer front wheel of a vehicle making its sharpest turn.
- (10) *Skew Angle.* The complement of the acute angle between two centerlines which cross.
- (11) *Weaving Section.* A length of one-way roadway, designed to accommodate weaving, at one end of which two one-way roadways merge and at the other end of which they separate.

#### 62.5 Landscape Architecture

- (1) *Highway Planting.* Vegetation placed for aesthetic, safety, environmental mitigation, or erosion control purposes, including necessary irrigation systems, inert materials, mulches and appurtenances. Highway planting provides for a level of planting that makes the right of way compatible with the surrounding environment up to the allowable maximum cost-per-hectare, as determined by the Office of Landscape Architecture (adjusted annually). Highway planting is warranted on new highways where adjacent properties are developed at the time the highway contract is accepted; on existing highways where adjacent properties have been developed at the time the highway

contract is accepted for construction of a new interchange or major modification of an existing interchange; and on existing highways where adjacent properties were developed on or before June 30, 1987.

In addition, highway planting may be required to satisfy written agreements or memorandum of understanding between the State and another governmental agency, or mitigate impacts as required in an environmental document or by court order.

Highway planting shall be used to reduce adverse environmental impacts associated with short and long term impacts. If legally required, the allowable maximum cost-per-hectare can be exceeded.

- (2) *Revegetation.* Planting of indigenous plants to replace natural vegetation that is damaged or removed as a result of highway construction projects or permit requirements. This work may include provisions for irrigation.
- (3) *Replacement Planting.* Planting to replace planting (installed by Caltrans or others) that is damaged or removed during highway construction activity, including irrigation modification and/or replacement.

Unless the environmental document or memorandum of understanding with the local agency specifies otherwise, highway planting work including replacement is done as a separate contract from the highway construction work. Exceptions may be permitted with approval of the Office of Landscape Architecture District Coordinator when justified.

- (4) *Highway Planting Restoration.* The renovation or rehabilitation of planting areas and irrigation systems to reduce maintenance expenditures, improve roadside working conditions, reduce water consumption or utilize nonpotable water. Restoration is justified when capital costs can be recovered through maintenance savings within 12 years. Improvement of working conditions, installation of Remote Irrigation Control System (RICS), and conversion to nonpotable water does not require a 12 year payback.

- (5) *Erosion Control.* Vegetation, such as grasses and wildflowers, and other materials, such as straw, fiber, stabilizing emulsion, protective blankets, etc., placed to stabilize areas disturbed by grading operations, reduce loss of soil due to the action of water or wind, and prevent water pollution.
- (6) *Landscaped Freeway.* A designation, as defined in Chapter 6, Title 4 of the California Administrative Code, given to a section of freeway relative to the regulation of outdoor advertising displays.
- (7) *Safety Roadside Rest.* A roadside area provided for motorists to stop and rest for short periods. It includes paved parking areas, drinking water, toilets, tables, benches, telephones, information panels, and may include other facilities for motorists (see Topic 903).
- (8) *Vista Point.* A paved area beyond the shoulder which permits travelers to safely exit the highway to stop and view a scenic area. In addition to parking areas, trash receptacles, interpretive displays, and in some cases rest rooms, drinking water and telephones may be provided (see Topic 904).

## 62.6 Right of Way

- (1) *Acquisition.* The process of obtaining right of way.
- (2) *Air Rights.* The property rights for the control or specific use of a designated airspace involving a highway.
- (3) *Appraisal.* An expert opinion of the market value of property including damages and special benefits, if any, as of a specified date, resulting from an analysis of facts.
- (4) *Condemnation.* The process by which property is acquired for public purposes through legal proceedings under power of eminent domain.
- (5) *Control of Access.* The condition where the right of owners or occupants of abutting land or other persons to access in connection with a highway is fully or partially controlled by public authority.

- (6) *Easement*. A right to use or control the property of another for designated purposes.
  - (7) *Eminent Domain*. The power to take private property for public use without the owner's consent upon payment of just compensation.
  - (8) *Encroachment*. Occupancy of project right of way by non-project structures or objects of any kind or character.
  - (9) *Inverse Condemnation*. The legal process which may be initiated by a property owner to compel the payment of just compensation where the property has been taken or damaged for a public purpose.
  - (10) *Negotiation*. The process by which property is sought to be acquired for project purposes through mutual agreement upon the terms for transfer of such property.
  - (11) *Partial Acquisition*. The acquisition of a portion of a parcel of property.
  - (12) *Relinquishment*. A transfer of the State's right, title, and interest in and to a highway, or portion thereof, to a city or county.
  - (13) *Right of Access*. The right of an abutting land owner for entrance to or exit from a public road.
  - (14) *Severance Damages*. Loss in value of the remainder of a parcel which may result from a partial taking of real property and/or from the project.
  - (15) *Vacation*. The reversion of title to the owner of the underlying fee where an easement for highway purposes is no longer needed.
- term is commonly abbreviated as ADT or AADT.
  - (2) *Delay*. The time lost while traffic is impeded by some element over which the driver has no control.
  - (3) *Density*. The number of vehicles per kilometer on the traveled way at a given instant.
  - (4) *Design Vehicles*. See Topic 404.
  - (5) *Design Volume*. A volume determined for use in design, representing traffic expected to use the highway. Unless otherwise stated, it is an hourly volume.
  - (6) *Diverging*. The dividing of a single stream of traffic into separate streams.
  - (7) *Headway*. The time in seconds between consecutive vehicles moving past a point in a given lane, measured front to front.
  - (8) *Level of Service*. A rating using qualitative measures that characterize operational conditions within a traffic stream and their perception by motorists and passengers.
  - (9) *Merging*. The converging of separate streams of traffic into a single stream.
  - (10) *Running Time*. The time the vehicle is in motion.
  - (11) *Spacing*. The distance between consecutive vehicles in a given lane, measured front to front.
  - (12) *Speed*.
    - (a) Design Speed--A speed selected to establish specific minimum geometric design elements for a particular section of highway.
    - (b) Running Speed--The speed over a specified section of highway, being the distance divided by running time. The average for all traffic, or component thereof, is the summation of distances divided by the summation of running times.

## 62.7 Structural Design of the Roadbed

See Chapter 600 for definition of structural section terms.

## 62.8 Traffic

- (1) *Annual Average Daily Traffic*. The average 24 hour volume, being the total number during a stated period divided by the number of days in that period. Unless otherwise stated, the period is a year. The
- (13) *Traffic Control Devices*.
  - (a) Traffic Markings--All lines, words, or symbols, except signs, officially placed within the roadway to regulate, warn, or guide traffic.

- (b) Traffic Sign--A device mounted on a fixed or portable support, conveying a message or symbol to regulate, warn, or guide traffic.
  - (c) Traffic Signal--A power operated traffic control device except signs, barricade warning lights, and steady burning electric lamps, by which traffic is regulated, warned, or alternately directed to take specific actions.
- (14) *Volume.* The number of vehicles passing a given point during a specified period of time.
- (15) *Weaving.* The crossing of traffic streams moving in the same general direction accomplished by merging and diverging.
- (16) *Ramp Metering.* A traffic management strategy which utilizes a system of traffic signals on freeway entrance and connector ramps to regulate the volume of traffic entering a freeway corridor in order to maximize the efficiency of the freeway and thereby minimize the total delay in the transportation corridor.

## 62.9 Drainage

See Chapter 800 for definition of drainage terms.